

Emergency Pesticide Use Notification

Issue Date 9/1/20

To: Parents/guardians of students, and staff of: Frelinghuysen School

From: The School IPM Coordinator: _____ Phone Number: 908-294-1973

This notice is to advise you that the following pesticides were used at :

Pesticide Common Name Tempo dust	Pesticide Trade Name	EPA Registration Number 122000007121
Pesticide Common Name	Pesticide Trade Name	EPA Registration Number

Location of the pesticide application: HVAC UNIT

Reason for the pesticide application: Bees nest to tree in playground

The Date and Time the indoor or outdoor application took place:

DATE 9/1/20 TIM 12-4 PM

Description of the problem and the factors that qualified the problem as an emergency that threatened the health or safety of a student or staff member: nest in HVAC unit and the possibility of being stung

If applicable, description of steps to be taken to avoid emergency use of pesticides for this problem in the future

Description of the possible adverse effects of the pesticide(s) as per the Material Safety Data Sheets for the pesticide(s) to be used, if available:

Attached

Pesticide product label instructions and precautions related to public safety:

Attached

Note: as required by law, we are advising you of the following statement:

The Office of Pesticide Programs of the United States Environmental Protection Agency has stated: "Where possible persons who potentially are sensitive, such as pregnant women, infants, and children, should avoid any unnecessary pesticide exposure."

REMEMBER: Whenever a non-low impact pesticide is used on school property there is also a Restricted Entry Interval (REI) that begins when the pesticide application ends. This Restricted Entry Interval last for seven hours unless the product label u NUMERIC LANGUAGE, e.g., 4hours or 12 hours; directing a longer or shorter period of time for Restricted Entry. If duct label does not discuss Restricted Entry the period of time defaults to seven (7) hours.



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
102000006700

1/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name TEMPO® 1% DUST INSECTICIDE READY TO USE
Product code (UVP) 05173213
SDS Number 102000006700
EPA Registration No. 432-1373

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide
Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577 (24 hours/day)

Product Information Telephone Number 1-800-331-2867

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity (Oral): Category 4

Eye irritation : Category 2B



Signal word: Warning

Hazard statements

Harmful if swallowed.

Causes eye irritation.

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
102000006700

2/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
Rinse mouth.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Cyfluthrin	68359-37-5	1.00
Crystalline quartz (respirable)	14808-60-7	4.88
Calcium sulfate	13397-24-5	89.30

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
102000006700

3/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable High volume water jet

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point not applicable

Autoignition temperature no data available

Lower explosion limit not applicable

Upper explosion limit not applicable

Explosivity no data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
102000006700

4/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Cyfluthrin	68359-37-5	0.01 mg/m ³ (TWA)		OES BCS*
Cyfluthrin (Particulate.)	68359-37-5	5ug/m ³ (AN ESL)	02 2013	TX ESL
Cyfluthrin (Particulate.)	68359-37-5	50ug/m ³ (ST ESL)	02 2013	TX ESL
Crystalline quartz (respirable)	14808-60-7	0.1 mg/m ³ (TWA)	1998	JO TLV
Crystalline quartz (respirable) (Respirable fraction.)	14808-60-7	0.025 mg/m ³ (TWA)	02 2012	ACGIH
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.05 mg/m ³ (REL)	2010	NIOSH
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.1 mg/m ³ (TWA)	1989	OSHA Z1A
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.1 mg/m ³ (TWA)	06 2008	TN OEL
Crystalline quartz (respirable) (Particulate.)	14808-60-7	14ug/m ³ (ST ESL)	02 2013	TX ESL



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
102000006700

5/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

Crystalline quartz (respirable) (Particulate.)	14808-60-7	0.27ug/m3 (AN ESL)	02 2013	TX ESL
Crystalline quartz (respirable) (Total dust.)	14808-60-7	0.3 mg/m3 (TWA PEL)	08 2010	US CA OEL
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.1 mg/m3 (TWA PEL)	08 2010	US CA OEL
Crystalline quartz (respirable) (Respirable.)	14808-60-7	2.4millions of particles per cubic foot of air (TWA)	2000	Z3
Crystalline quartz (respirable) (Respirable.)	14808-60-7	0.1 mg/m3 (TWA)	2000	Z3
Crystalline quartz (respirable) (Total dust.)	14808-60-7	0.3 mg/m3 (TWA)	2000	Z3
Calcium sulfate (Inhalable fraction.)	13397-24-5	10 mg/m3 (TWA)	02 2012	ACGIH
Calcium sulfate (Total)	13397-24-5	10 mg/m3 (REL)	2010	NIOSH
Calcium sulfate (Respirable.)	13397-24-5	5 mg/m3 (REL)	2010	NIOSH
Calcium sulfate (Total dust.)	13397-24-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
Calcium sulfate (Respirable fraction.)	13397-24-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
Calcium sulfate (Total dust.)	13397-24-5	15 mg/m3 (TWA)	1989	OSHA Z1A
Calcium sulfate (Respirable fraction.)	13397-24-5	5 mg/m3 (TWA)	1989	OSHA Z1A
Calcium sulfate	13397-24-5	5ug/m3 (AN ESL)	03 2012	TX ESL
Calcium sulfate	13397-24-5	50ug/m3 (ST ESL)	03 2012	TX ESL
Silica, amorphe	7631-86-9	6 mg/m3 (REL)	2010	NIOSH
Silica, amorphe (Particulate.)	7631-86-9	27ug/m3 (ST ESL)	02 2013	TX ESL
Silica, amorphe (Particulate.)	7631-86-9	2ug/m3 (AN ESL)	02 2013	TX ESL
Silica, amorphe	7631-86-9	0.8 mg/m3 (TWA)	2000	Z3
Silica, amorphe	7631-86-9	20millions of particles per cubic foot of air (TWA)	2000	Z3

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
102000006700

6/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Goggles
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light beige
Physical State	powder
Odor	musty
Odour Threshold	no data available
pH	no data available
Vapor Pressure	not applicable
Vapor Density (Air = 1)	not applicable
Bulk density	61 lb/ft ³ (bulk density tapped) 35 lb/ft ³ (loose)
Evaporation rate	no data available
Boiling Point	not applicable
Melting / Freezing Point	not applicable
Water solubility	dispersible
Minimum Ignition Energy	no data available
Decomposition temperature	ca. 500 °C
Partition coefficient: n-octanol/water	not applicable
Viscosity	not applicable



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
102000006700

7/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

Flash point	not applicable
Autoignition temperature	no data available
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Explosivity	no data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	ca. 500 °C
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Exposure to moisture.
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Inhalation, Eye contact, Skin Absorption, Ingestion
Immediate Effects	
Eye	Moderate eye irritation.
Skin	Can cause irritation to the skin resulting in effects such as burning and/or tingling sensation. May cause irritation, redness. Harmful if absorbed through skin.
Ingestion	Harmful if swallowed.
Inhalation	Harmful if inhaled. May cause upper respiratory tract irritation.
Information on toxicological effects	
Acute oral toxicity	LD50 (male rat) 3,084 mg/kg LD50 (female rat) 1,733 mg/kg
Acute inhalation toxicity	LC50 (male/female combined rat) > 1.18 mg/l Exposure time: 4 h Determined in the form of dust. Highest attainable concentration.



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
102000006700

8/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

	No deaths
	LC50 (male/female combined rat) > 4.72 mg/l
	Exposure time: 1 h
	Determined in the form of dust.
	Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (male/female combined rabbit) > 2,000 mg/kg
Skin irritation	Slight irritation (rabbit)
Eye irritation	Mild eye irritation. (rabbit)
Sensitisation	Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

The toxic effects of Cyfluthrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

Assessment Mutagenicity

Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Crystalline quartz (respirable)	14808-60-7	Group A2
---------------------------------	------------	----------

NTP

Crystalline quartz (respirable)	14808-60-7	2000
---------------------------------	------------	------

IARC

Crystalline quartz (respirable)	14808-60-7	Overall evaluation: 1
---------------------------------	------------	-----------------------

OSHA

None.

Assessment toxicity to reproduction

Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Cyfluthrin is related to parental toxicity.

Assessment developmental toxicity

Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Cyfluthrin are related to maternal toxicity.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (Rainbow trout)) 0.00047 mg/l



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
10200006700

9/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

	Exposure time: 96 h The value mentioned relates to the active ingredient cyfluthrin.
Toxicity to aquatic invertebrates	EC50 (Water flea (<i>Daphnia magna</i>)) 0.00016 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient cyfluthrin.
Toxicity to aquatic plants	IC50 (<i>Desmodemus subspicatus</i>) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient cyfluthrin.
Biodegradability	Cyfluthrin: ; not rapidly biodegradable
Koc	Cyfluthrin: Koc: 64300
Bioaccumulation	Cyfluthrin: Bioconcentration factor (BCF) 506; Does not bioaccumulate.
Mobility in soil	Cyfluthrin: Immobile in soil
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility. Dispose in accordance with all local, state/provincial and federal regulations.
Contaminated packaging	Do not re-use empty containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG	
UN number	3077



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
10200006700

10/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

Class 9
Packaging group III
Marine pollutant YES
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(CYFLUTHRINE MIXTURE)

IATA

UN number 3077
Class 9
Packaging group III
Environm. Hazardous Mark YES
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(CYFLUTHRINE MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN
POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1373

US Federal Regulations

TSCA list

Crystalline quartz (respirable) 14808-60-7

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Cyfluthrin 68359-37-5 10,000lbs

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Crystalline quartz (respirable) 14808-60-7

US State Right-To-Know Ingredients

Cyfluthrin 68359-37-5 NJ
Crystalline quartz (respirable) 14808-60-7 MN

Canadian Regulations

Canadian Domestic Substance List

Crystalline quartz (respirable) 14808-60-7
Calcium sulfate 13397-24-5



TEMPO® 1% DUST INSECTICIDE READY TO USE

Version 3.0 / USA
102000006700

11/11
Revision Date: 09/19/2014
Print Date: 02/09/2015

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Cyfluthrin	68359-37-5
Crystalline quartz (respirable)	14808-60-7

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.
Moderate eye irritation.
Do not get in eyes, on skin, or on clothing.
Avoid breathing dust.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 09/19/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.